



### TECHNICAL INFORMATION

#### BSW Thread

Nominal Ø inch	Pitch	Thread Ø mm	Nominal Ø inch	Pitch	Thread Ø mm
1/16	60	1,587	7/8	9	22,226
3/32	48	2,381	1	8	25,401
1/8	40	3,175	1 1/8	7	28,576
5/32	32	3,969	1 1/4	7	31,751
3/16	24	4,762	1 3/8	6	34,926
7/32	24	5,556	1 1/2	6	38,101
1/4	20	6,350	1 5/8	5	41,227
5/16	18	7,938	1 3/4	5	44,452
3/8	16	9,525	1 7/8	4,5	47,627
7/16	14	11,113	2	4,5	50,802
1/2	12	12,700	2 1/4	4	57,152
9/16	12	14,288	2 1/2	4	63,502
5/8	11	15,876	2 3/4	3,5	69,853
3/4	10	19,051	3	3,5	76,203

#### BSF Thread

Nominal Ø inch	Pitch	Thread Ø mm	Nominal Ø inch	Pitch	Thread Ø mm
3/16	32	4,762	13/16	12	20,638
7/32	28	5,556	7/8	11	22,226
1/4	26	6,350	15/16	11	23,813
5/16	22	7,938	1	10	25,401
3/8	20	9,525	1 1/8	9	28,576
7/16	18	11,113	1 1/4	9	31,751
1/2	16	12,700	1 3/8	8	34,926
9/16	16	14,288	1 1/2	8	38,101
5/8	14	15,876	1 5/8	8	41,227
11/16	14	17,463	1 3/4	7	44,452
3/4	12	19,051	2	7	50,802

## UNC- and UNF-Thread

Nominal Ø inch	Pitch UNC	Pitch UNF	Pitch UNEF	Thread Ø mm
0	-	80	-	1,520
1	64	72	-	1,850
2	56	72	-	1,850
3	48	56	-	2,520
4	40	48	-	2,850
5	40	44	-	3,180
6	32	40	-	3,510
8	32	36	-	4,170
10	24	32	-	4,830
12	24	28	32	5,490
1/4	20	28	32	6,350
5/16	18	24	32	7,938
3/8	16	24	32	9,525
7/16	14	20	28	11,113
1/2	13	20	28	12,700
9/16	12	18	24	14,288
5/8	11	18	24	15,876
11/16	-	-	24	17,463
3/4	10	16	20	19,051
13/16	-	-	20	20,638
7/8	9	14	20	22,226
15/16	-	-	20	23,813
1	8	12	20	25,401
1/16	-	-	18	26,988
1 1/8	7	12	18	28,576
1 3/16	-	-	18	30,163
1 1/4	7	12	18	31,751
1 5/16	-	-	18	33,338
1 3/8	6	12	18	34,926
1 7/16	-	-	18	36,512
1 1/2	6	12	18	38,101
1 5/8	5	-	18	41,277
1 3/4	5	-	18	44,452
1 7/8	4,5	-	18	47,627
2	4,5	-	18	50,802
2 1/4	4,5	-	-	57,152
2 1/2	4	-	-	63,502
2 3/4	4	-	-	69,853
3	4	-	-	76,203

## Pipe thread DIN ISO 228

Nominal Ø inch	Pitch	Thread Ø mm	Nominal Ø inch	Pitch	Thread Ø mm
G 1/8	28	9,728	G 1 1/2	11	47,803
G 1/4	19	13,157	G 1 3/4	11	53,746
G 3/8	19	16,662	G 2	11	59,614
G 1/2	14	20,955	G 2 1/4	11	65,710
G 5/8	14	22,911	G 2 1/2	11	75,184
G 3/4	14	26,441	G 2 3/4	11	81,534
G 7/8	14	30,201	G 3	11	87,884
G 1	11	33,249	G 3 1/4	11	93,980
G 1 1/8	11	37,897	G 3 1/2	11	100,330
G 1 1/4	11	41,910	G 3 3/4	11	106,680
G 1 3/8	11	44,323	G 4	11	113,030

## Stahlpanzerrohr DIN 40430 PG

Nominal Ø inch	Pitch	Thread Ø mm
PG 7	20	12,500
PG 9	18	15,200
PG 11	18	18,600
PG 13,5	18	20,400
PG 16	18	22,500
PG 21	16	28,300
PG 29	16	37,000
PG 36	16	47,000
PG 42	16	54,000
PG 48	16	59,500

**SNITTAPPE**  
ALT I GEVINDVÆRKTØJER

